

Certificate of Compliance

Certificate Number **20080524-E227487B**
Report Reference **E227487, 2003 December 22**
Issue Date **2008 May 24**

Page 1 of 2



Issued to: **DATASENSOR SPA**
VIA LAVINO 265
40050 MONTE SAN PIETRO BO ITALY

*This is to certify that
representative samples of*


PROXIMITY SWITCHES
Industrial Control Equipment, Listed - Proximity Switches, Photoelectric Sensing
Devices: Series S41.

*Have been investigated by Underwriters Laboratories Inc.® in
accordance with the Standard(s) indicated on this Certificate.*

Standard(s) for Safety: UL508, 17th Edition - Industrial Control Equipment
C22.2 N°.14-95 - Industrial Control Equipment

Additional Information: SEE ADDENDUM FOR RATINGS.

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers:  the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product

Issued by:
Giuseppe Redaelli, Senior Project Engineer
Underwriters Laboratories Inc.

Reviewed by:
Matteo Redaelli, Engineering Team Leader
Underwriters Laboratories Inc.

Certificate of Compliance

Certificate Number **20080524-E227487B**
Report Reference **E227487, 2003 December 22**
Issue Date **2008 May 24**

Page 2 of 2



This is to verify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

ELECTRICAL RATINGS:

The devices "S41 Series" are rated 10--30 V dc, 100 mA maximum. They are intended to be connected to a Class 2 transformer or power supply or a Low Voltage Limited Energy source of supply with Class 2 characteristics.

Issued by:
Giuseppe Redaelli, Senior Project Engineer
Underwriters Laboratories Inc.

Reviewed by:
Matteo Redaelli, Engineering Team Leader
Underwriters Laboratories Inc.